


# Simple One



colour included  
in the price



**Simple One** 1200↑ × 500⇔ S8  
colour: RAL 3020

Angled integrated thermostatic valve set with immersion tube, right, chrome  
Integrated pipe-masking set, chrome  
ONE heating element



**TERMA**  
SINCE 1990




# Simple One




Design: Przemysław Jan Majchrzak


## Standard connections:




## Optional connections:



Electric radiators:



## Available sizes:






# Simple One




## Specifications:

Working pressure: 1000 kPa    Maximum operating temperature: 82°C


A ↓ [mm]	B ↔ [mm]	75/65/20°C [W]	55/45/20°C [W]	 [W]	D [mm]	E [mm]	F [mm]	 [dm <sup>3</sup> ]	 [kg]	Product Code <small>configuration code p. 6</small>
<b>Paint</b>										
720	500	262	145	300	470	480	120	2,87	5,64	WZSIE072050
840	500	306	167	300	470	600	120	3,36	6,54	WZSIE084050
960	500	351	189	400	470	720	120	3,85	7,43	WZSIE096050
1080	500	396	211	400	470	840	120	4,34	8,33	WZSIE108050
1200	500	440	234	400	470	960	120	4,83	9,23	WZSIE120050
1440	500	529	271	600	470	1200	120	5,81	11,03	WZSIE144050
1680	500	618	308	600	470	1440	120	6,79	12,83	WZSIE168050
1920	500	707	343	800	470	1680	120	7,78	14,63	WZSIE192050
<b>Plating</b>										
720	500	183	102	200	470	480	120	2,87	5,45	WZSIE072050
840	500	214	117	200	470	600	120	3,36	6,32	WZSIE084050
960	500	246	132	300	470	720	120	3,85	7,19	WZSIE096050
1080	500	277	148	300	470	840	120	4,34	8,06	WZSIE108050
1200	500	308	164	300	470	960	120	4,83	8,93	WZSIE120050
1440	500	370	190	400	470	1200	120	5,81	10,67	WZSIE144050
1680	500	433	216	400	470	1440	120	6,79	12,40	WZSIE168050

# Simple One




colour included  
in the price

## Technical drawing:



A – Height B – Width C1-C5 – Distance between pipe centres D – Horizontal distance between mounting bracket centres  
E – Vertical distance between mounting brackets F – Distance between a mounting bracket and the bottom of the radiator

### Pipe:



# Simple One



colour included  
in the price

In the table with technical data, the last column lists product codes. When placing an order, please remember to quote the product code followed by the configuration code as shown in the diagram below:

## The construction of a configuration code of a water radiator with a built-in One heating element:

WZSIE072050

PRODUCT CODE  
(located in the table for the product)

K916S1

CONIGURATION CODE  
(supplemented by hand)

Cable Type

**W** – straight cable with plug  
**P** – straight cable without plug  
**U** – spiral cable with plug

### Example Configuration

**K 916 S1 P**

Package code    Plate color code    Connection code    Cable Type code  
*K - carton box*

## The Construction of the product and configuration code for a radiator with the built-in heating element ONE:

WWSIE072050

PRODUCT CODE  
(located in the table for the product)

K916E1

CONIGURATION CODE  
(supplemented by hand)

Cable Type

**W** – straight cable with plug  
**P** – straight cable without plug  
**U** – spiral cable with plug

### Example Configuration

**K 916 E1 P**


Package code    Plate color code    Connection code    Cable Type code  
*K - carton box*

## Epoxy primer

**E** – Code of epoxy primer is an extra processes.

WZSIE072050 K916S1 **E** — Extra processes or additions code

# Simple One



## Legend




Radiator available in a "water" version.



Radiator suitable for dual fuel connection. Electric heating element can be installed.



Radiator available in electric only version. It comes prefilled with a 'heating medium' and equipped with a heating element. All tested and ready to use.



Connection types dedicated for this radiator. The icon shows the flow and return connections for the radiator as well as the thermostatic valve and heating element position if applicable.



Suggested heating element power output for electric and dual fuel versions.



Weight.



Capacity.



Available in chrome finish.



No additional payment for a color.